according to Reg. (EC) No 19	⁷ Data Sheet 07/2006 (REACH), (EC) No 1272/2008, No 830/2015 and (EU) No 2017/542	KAVALA NOVAFERT LTD	
Version: 1.0		Revision date:	
Date of issue: 03/01/2023			
Novaca	n special stabil 27-0-0+5M	lgO+0,2B	
SECTION 1. IDENTIFIC	ATION OF THE SUBSTANCE/MI	XTURE AND OF THE	
	UNDERTAKING		
1.1 Product identifier			
Commercial Product Name	Novacan special stabil 27-0	-0+5MgO+0,2B	
Unique Formula Identifier (UFI)	: 04V2-M0S2-500V-FK75		
	es of the substance or mixture and u	ses advised against	
Use of the Substance/		al formulation of fertiliser products.	
Uses advised against	: All other uses.		
1.3 Details of the supplier	-		
Company (Producer)	: KAVALA NOVAFEF 201 Syngrou Andre 17121, Nea Smyrni Athens, GREECE e-mail: <u>info@kavala</u>	a Avenue, , Attikis	
Telephone : +30 2109 358833			
1.4 Emergency telephone number In case of medical emergencies, please contact your local poison control center. Company's Telephone: +30 2109 358833 (08:30 to 16:30)			
SECTION 2: HAZARDS I	DENTIFICATION		
2.1 Classification of the su	bstance or mixture		
Classification (REGULA	TION (EC) No 1272/2008) - CLP		
Eye Irrit. 2 H319: Causes serious eye irritation.			
2.2 Label elements CLP			
Hazard pictograms:			
	GHS07		
· · · · · · · · · · · · · · · · · · ·			
Signal word	Warning		
Hazard Statements:	warning		
H319			
	Causes serious eye irritation.		
Precautionary Stateme	ents:		
General:			
Prevention:	P264: Wash thoroughly after handling.		
	P280: Wear protective gloves/protective clo	othing/eye protection/face protection.	
Response:	P305+P351+P338: IF IN EYES: Rinse		

according to Reg. (EC) No 1907/2006 (REACH), (EC) No 1272/2008, (EU) No 453/2010, (EU) No 830/2015 and (EU) No 2017/542

KAVALA NOVAFERT LTD

			P.	
Version: 1.0			Revision c	late:
Date of issue: 03/01/2023		hil 27		
			0-0+5MgO+0,2B	
	minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention			e e
P337+	-P313. II eye	e initation p	ersists. Get medical advice/att	ention
Storage:				
Disposal:				
Hazardous components whichAmmonium nitrate	must be	listed on	the label:	
2.3 Other hazards None known.				
SECTION 3: COMPOSITION/IN	NFORMA	TION O	N INGREDIENTS	
3.1 Mixtures				
Classified components accordi	ina to EU	Chemical	s Legislation:	
CAS No				
Chemical name	EINEC		Classification	Concentration
	Registra		(1272/2008/EC)	[%]
	6484-52-2			
Ammonium nitrate	229-3		Ox. Sol. 2, H272 Eye Irrit. 2, H319	70 - 78 %
	XXX			
	10377-60-3 233-826-7			
Magnesium Nitrate	01-211949		Ox. Sol. 3, H272 Eye Irrit. 2, H319	< 2 %
	XXXX			
Further information The components in this formulation do not meet the criteria for classification according to Regulation (EC)No. 1907/2006 as PBT or vPvB. For the full text of the H-Statements mentioned in this Section, see Section 16.				
SECTION 4: FIRST AID MEASURES				
4.1 Description of first aid measures				
General advice : In case of accident or if you feel unwell, seek med advice immediately (show the label where possible).				
		Take off contaminated clothing and shoes immediately.		
If inhaled	:	Inhalation system.	formation during use. of dust may cause irritation	
			respiratory tract irritation, cons	
In case of skin contact	·	cloth and t	act with skin, first remove pu hen wash the skin with plenty nmediately all contaminated c suse.	of water.
In case of eye contact	:		contact with eyes, rinse immer water for 10 to 15 minutes	

according to Reg. (EC) No 1907/2006 (REACH), (EC) No 1272/2008, (EU) No 453/2010, (EU) No 830/2015 and (EU) No 2017/542

KAVALA NOVAFERT LTD

Version: 1.0		Revision date:
Date of issue: 03/01/2023	4-	
In case of swallowing	i i	bil 27-0-0+5Mg0+0,2B Typically no exposure pathway. If accidentally swallowed, rinse the mouth with plenty of water (only if the person is conscious) and ask immediately for medical help.
 4.2 Most important symptoms and effect Symptoms upon: Inhalation: Cough, Headache, Sore Skin contact: Not a skin irritant Eye contact: Causes serious eye irrited in the symptom serious and the symptom series are series and the symptom series and the symptom series are series and the symptom series are series and the symptom series are series are series and the symptom series are series are series and the symptom series are series	thro ritati	oat on. s, Diarrhoea, Dizziness, Vomiting, Weakness
SECTION 5: FIREFIGHTING MEASU	RE	S
 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from the sub Specific hazards during firefighting 	:	,
5.3 Advice for firefighters Special protective equipment for fire-fighters Further information	:	use: water spray. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for incidents with chemical substances. Attention! The product contains oxidizing agent at a rate
		below the classification limit (see section 3), which may intensify fire. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local authority requirements.
SECTION 6. ACCIDENTAL DELEASE	BA E	

SECTION 6: ACCIDENTAL RELEASE MEASURES

according to Reg. (EC) No 1907/2006 (REACH), (EC) No 1272/2008, (EU) No 453/2010, (EU) No 830/2015 and (EU) No 2017/542

KAVALA NOVAFERT LTD

Revision date: ---

Version: 1.0

Date of issue: 03/01/2023

Novacan special stabil 27-0-0+5MgO+0,2B

6.1 Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

Avoid inhalation of dust. Ensure sufficient ventilation especially in enclosed spaces.

Eliminate all ignition sources. Keep all unnecessary personnel away. Wear gloves and overalls. Do not touch or walk through spilt material.

6.2 Environmental precautions

Heavy spillage may cause adverse environmental impact in surface waters, such as eutrophication or contamination by nitrates. In case of contamination of rivers and lakes or drains, inform respective authorities.

Create mounds with suitable materials e.g. sand, to prevent molten ammonium nitrate from entering the drains.

6.3 Methods and material for containment and cleaning up

If it is possible stop leak of the product without risk. Keep combustibles (wood, paper, oil, etc.) away from spilled material.

During cleanup, you should wear appropriate PPE, to prevent any skin/eye contact and inhalation of dust. Avoid creating dust during clean-up. Do not use compressed air to clean up spills.

Environmental manager must be informed immediately of all major spillages. Collect the uncontaminated dispersed product with a clean shovel and place the material into a clean, dry container/bag for re-use, ONLY if it is not contaminated by substances such as organic materials, metal powders, compounds containing chlorine and alkalis which may reduce the resistance of AN to explosion. Otherwise, carry out a risk assessment, as the risk depends on the nature and quantity of the contaminant.

Products which are out-of-specification or contaminated by incompatible materials (see 10.5), should be disposed of as hazardous waste according to national regulations.

6.4 Reference to other sections

Refer to section: 7, 8, 11, 12 and 13.

SECTION 7: HANDLING AND STORAGE

Advice on safe handling	:	Avoid eye and excessive skin contact. Use only with adequate ventilation. Wear personal protection equipment (Refer to section 8). Do not eat, drink or smoke when handling. Wash hands after handling.
Advice on protection against fire and explosion	:	Keep away from heat and sources of ignition - No smoking. The risk of fire (or decomposition) can increase particularly if the product is spilled and contaminated with combustible materials such as coal, grain, sawdust, oil, grease or elemental sulphur.
Dust explosion class	:	Not applicable.
7.2 Conditions for safe storage, includi	ng a	ny incompatibilities
Requirements for storage areas	:	Store in accordance with local regulations.
Requirements for storage areas and containers	:	Store in accordance with local regulations. Store away from combustible materials. Handle bags with care. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10). Doors of the warehouse should be kept closed unless for intake or outtake of product. Doors should be tight and other openings closed.
• •	:	Store away from combustible materials. Handle bags with care. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10). Doors of the warehouse should be kept closed unless for intake or outtake of product. Doors should be tight and

Safety Data Shee	et	
according to Reg. (EC) No 1907/2006 (REACH (EU) No 453/2010, (EU) No 830/2015 and		KAVALA NOVAFERT LTD
Version: 1.0		Revision date:
Date of issue: 03/01/2023		
Novacan special st	abil 27-0-0+5M	gO+0,2B
	into dry product. Keep container tightly	a moist product (e.g. after spillage) closed and sealed until ready for ve been opened must be carefully ht to prevent leakage.
Advice on common storage	materials. During storage the prod and atmospheric humidi time. Product that is dar	agents, combustible or flammable uct must be protected from water ty (rain, humid air, snow) at any naged by humidity or water will quantities can become very hard ed to powder.
	similar during storage at emptying. The overlapp 0,5m. The foils should b them sliding off. Do not	red with polyethylene foil or any time unless for filling or ing of the foils should be at least e fastened with sticks to prevent expose the product to air more er immediately when the operation
	products, such as CAN, Urea left on the floor an solution when exposed	nonium nitrate containing are prohibited. Even traces of d mixed with CAN will soon form a to air. rink and animal feedingstuffs.
Storage Temperature	: Ambient temperature (5	- 30°C).
Other data	: The product is hygrosco	pic.
7.2 Creating and was(a)		

7.3 Specific end use(s) Fertilizer.

rennizer.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Ingredients with exposure limit values that require monitoring at the workplace: Not required.

• DNEL/DMEL (for Chemical substance : Ammonium nitrate)

WORKERS EXPOSURE:
Long term exposure, DNEL inhalation route (systemic effects): 37,6 mg/m3
Long term exposure, DNEL dermal route (systemic effects): 21,3 mg/kg/day
Long term, DNEL oral route (systemic effects): not applicable
CONSUMERS EXPOSURE:
Long term, DNEL inhalation route (systemic effects): 11,1 mg/m3
Long term, DNEL dermal route (systemic effects): 12,8 mg/kg/day
Long term, DNEL oral route (systemic effects): 12,8 mg/kg/day

• PNECs (for Chemical substance : Ammonium nitrate)

PNEC aqua (freshwater): 0,45 mg/L PNEC aqua (marine water): 0,045 mg/L PNEC aqua (intermittent releases): 4,5 mg/L PNEC sediment (freshwater):: No or insufficient data available at present PNEC sediment (marine water): No or insufficient data available at present PNEC soil: No or insufficient data available at present

according to Reg. (EC) No 1907/2006 (REACH), (EC) No 1272/2008, (EU) No 453/2010, (EU) No 830/2015 and (EU) No 2017/542

KAVALA NOVAFERT LTD

Revision date: ---

Version: 1.0

Date of issue: 03/01/2023

Novacan special stabil 27-0-0+5MgO+0,2B

PNEC STP: 18 mg/L

DNEL/DMEL (for Chemical substance : Magnesium nitrate)

WORKERS EXPOSURE: Long term exposure, DNEL inhalation route (systemic effects): 20,8 mg/m3 Long term exposure, DNEL dermal route (systemic effects): 36,7 mg/kg/day

 PNECs (for Chemical substance : Magnesium nitrate) PNEC aqua (freshwater): 0,45 mg/L PNEC aqua (marine water): 0,045 mg/L PNEC aqua (intermittent releases): 4,5 mg/L PNEC Sewage Treatment Plant (STP): 18 mg/L

8.2 Exposure controls

Appropriate engineering controls

Prevent generation of dust. Provide adequate ventilation in work and storage areas.

Personal protective equipment

Personal protective equipment		
Respiratory protection	:	Special respiratory protection measures are not required when applied under normal or reasonably foreseeable conditions of use and in a well ventilated area. In case of inadequate ventilation and/or dust formation wear respiratory protection. Recommended: half-mask for dust/particles (EN 149) or half-mask (EN 140) with filter type P1 or FFP1 for dust (EN 143).
Hand protection		
Material	:	Impervious chemical resistant protective gloves (EN 374, EN 420) and gloves for protection from mechanical risks (EN 388).
Glove thickness	:	
Break through time	:	
General remarks	:	Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.
Eye/face protection	:	In case of splash risk. wear safety glasses with side- shields conforming to EN166.
Skin and body protection	:	Choose body protection according to the amount and concentration of the dangerous substance at the work place.
<u>Hygiene measures</u>	:	 Recommended protection measures which should be taken into account, when handling chemicals: General practical hygiene measures. Do not breathe vapour /cloud /gas /dust. When using do not eat, drink or smoke. Wash hands before breaks and at the end of work. Avoid contact with skin, eyes and clothing. Take off contaminated clothing and wash before reuse.
Environmental exposure controls		
General advice	:	Do not dispose into surface water or sanitary sewer system. Prevent entry into sewers and waterways, dispose of in accordance with all federal, state and local environmental regulation. Prevent further leakage or spillage if possible without risk. If the product contaminates rivers and lakes, inform

according to Reg. (EC) No 1907/2006 (REACH), (EC) No 1272/2008, (EU) No 453/2010, (EU) No 830/2015 and (EU) No 2017/542

KAVALA NOVAFERT LTD

Revision date: ---

Version: 1.0

Date of issue: 03/01/2023

Novacan special stabil 27-0-0+5MgO+0,2B

respective authorities.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	: Solid
Colour	: White
Odour	: Characteristic
Flash point	: The product itself is not flammable
Lower Flammable Limit	: Not applicable
Upper Flammable Limit	: Not applicable
Autoignition temperature	: The product is not self-ignited
Explosive properties	: There is no risk of explosion of the product
Lower explosive limit	: Not applicable
Upper explosive limit	: Not applicable
рН (20 °C)	: 4 - 5
Melting point / melting range (°C)	: No data available
Boiling point/boiling range (°C)	: Not applicable
Vapour pressure	: Not applicable
Density	: No data available
Bulk density	: 1,0 – 1,2 kg/cm ³
Solubility in water	: Partially soluble in water
Solubility in other solvents	: No data available
Partition coefficient n- octanol/water:	: Not applicable for inorganic substances.
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Oxidising properties	: Not Oxidizing product. The product contains oxidizing agent at concentration >10% (see section 3) which may intensify fire.

9.2 Other information

Ammonium nitrate based fertilizers shall be classified in accordance with the procedure as set out in the Manual of Tests and Criteria, Part III, Section 39 (see section 14).

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

according to Reg. (EC) No 1907/2006 (REACH), (EC) No 1272/2008, (EU) No 453/2010, (EU) No 830/2015 and (EU) No 2017/542

KAVALA NOVAFERT LTD

Revision date: ---

Version: 1.0

Date of issue: 03/01/2023

Novacan special stabil 27-0-0+5MgO+0,2B

Ammonium nitrate reacts with combustible substances, organic substances, fine metallic powders and reducing agents.

10.2 Chemical stability

The material is stable under normal conditions of use and storage and will not decompose spontaneously. Though, may decompose when heated. The risk of decomposition dependents upon the temperature of the heat source, the duration of exposure to the heat source and the containment of the fertilizer.

10.3 Possibility of hazardous reactions

If heated at very high temperatures over 170°C, ammonium nitrate may cause an explosion at any moment, especially if contaminated with combustible substances, organic substances, coal, oil, or if confined in closed spaces (pipes, containers, tankers with metallic walls).

The product is prone to chemical self-ignition when it comes into contact with readily oxidizing organic substances, finely divided metals, superphosphates.

10.4 Conditions to avoid

The product decomposes when heated. Avoid confined spaces.

10.5 Incompatible materials

Reducing agents, strong acids and bases, urea, metallic powders, combustible materials, chromates, zinc, copper and its alloys, chlorates.

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products will not be produced. May decompose when heated. Decomposition may release: potassium nitrite, oxygen, nitrogen oxides (NO, NO₂).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Dangerous health implications

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits (see section 8), it may result in adverse effects on health depending on the means of exposure.

11.1.1. Ingestion:

Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for ingestion (see section 3).

11.1.2. Inhalation:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation (see section 3).

11.1.3. Contact with the skin and the eyes:

Causes serious eye irritation. (see section 3).

11.1.4. CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned (see section 3).

11.1.5. <u>Respiratory or skin sensitisation:</u>

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensibilizing effects (see section 3).

11.1.6. Specific target organ toxicity (STOT)-single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. (see section 3).

11.1.7. Specific target organ toxicity (STOT)-repeated exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified, as dangerous for inhalation (see section 3).

according to Reg. (EC) No 1907/2006 (REACH), (EC) No 1272/2008, (EU) No 453/2010, (EU) No 830/2015 and (EU) No 2017/542

KAVALA NOVAFERT LTD

Version: 1.0 Date of issue: 03/01/2023	Revision date:
Novacan special stabil	27-0-0+5MaO+0 2B
11.1.8. Aspiration hazard:	27 0 0 1 5 Ng0 1 0,20
	a are not met, as it does not contain substances
Given the available data of the individual component	<u>s</u>
<u>Acute toxicity (oral)</u> Ammonium nitrate Magnesium nitrate	: LD50 (oral-rat): 2.950 mg/kg (OECD 401) : LD50 (oral-rat)> 2.000 mg/kg (OECD 423)
<u>Acute toxicity (inhalant)</u> Ammonium nitrate	: LC50/4 hours (inhalation-rat): 88,8 mg/L LD50 (static) (freshwater fish) 447 mg/L
Magnesium nitrate	: No data available
<u>Acute toxicity (dermal)</u> Ammonium nitrate Magnesium nitrate	: LD50 (dermal-rat): > 5.000 mg/kg (OECD 402) : LD50 (dermal-rat): > 5.000 mg/kg (OECD 402)
<u>Acute toxicity (other routes of administration)</u> Ammonium nitrate Magnesium nitrate	No data availableNo data available
Skin corrosion/irritation Skin irritation Ammonium nitrate Magnesium nitrate	Does not cause skin irritationDoes not cause skin irritation
Serious eye damage/eye irritation	
Ammonium nitrate Magnesium nitrate	Causes eye irritationCauses eye irritation
Respiratory or skin sensitization Ammonium nitrate Magnesium nitrate	Does not cause any sensitizationDoes not cause any sensitization
CMR effects (carcinogenicity, mutagenicity and Based on available data, the classification criteria are as dangerous for the effects mentioned (see section 3	not met, as it does not contain substances classified
STOT - single exposure	
Ammonium nitrate Magnesium Oxide	Not classifiedNot classified
STOT - repeated exposure	
Ammonium nitrate Magnesium nitrate	Not classifiedNot classified
Aspiration hazard Aspiration toxicity Ammonium nitrate	: There are no harmful effects or critical hazards
Magnesium nitrate	: There are no harmful effects or critical hazards
Neurological effects Ammonium nitrate Magnesium nitrate	There are no harmful effects or critical hazardsThere are no harmful effects or critical hazards
Toxicology Assessment <u>Toxicology, Metabolism, Distribution</u> With proper handling the product does not cause any o	damage to health
Acute effects	

according to Reg. (EC) No 1907/2006 (REACH), (EC) No 1272/2008, (EU) No 453/2010, (EU) No 830/2015 and (EU) No 2017/542

KAVALA NOVAFERT LTD

Revision date: ---

Version: 1.0

Date of issue: 03/01/2023

Novacan special stabil 27-0-0+5MgO+0,2B

With proper handling the product does not cause any damage to health

Further information

No data available.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to the aquatic environment	
Ammonium nitrate	: Hazardous to the aquatic environment - Class 1 (list assessment): slightly hazardous. It must not penetrate groundwater, discharge into the aquatic environment or sewage undiluted or in relatively large quantities.
Magnesium nitrate	: No data available
Toxicity to daphnia and other aquatic invert	<u>ebrates</u>
Ammonium nitrate	: EC50 (Daphnia) magna: 490 mg/kg
Magnesium nitrate	: No data available
<u>Toxicity to algae:</u> Ammonium nitrate Magnesium nitrate	: LC50: 1.700 mg/l : No data available
12.2 Persistence and degradability Biodegradability	: Not applicable for inorganic substances.
12.3 Bioaccumulative potential Bioaccumulation	: Low
12.4 Mobility in soil	
Surface tension	: No data available
12.5 Results of PBT and vPvB assessment The product does not meet the criteria for classifica	ation as PBT or vPvB.
12.6 Other adverse effects Additional ecological information	: Prevent surface and ground-water infiltration, as well as ground penetration.
SECTION 13: DISPOSAL CONSIDERATION	ONS
13.1 Waste treatment methods Advice on disposal and packaging : D	Disposal:
	Appusal.

According to National and European regulations. It should not be disposed of with household wastes. The appropriate waste code(s) should be assigned by the user, based on the product usage.

The following Waste Codes are only suggestions:Waste Code (EWC): EWC

EWC disposal code no. (unused product):

06 10 02 wastes containing dangerous substances

according to Reg. (EC) No 1907/2006 (REACH), (EC) No 1272/2008, (EU) No 453/2010, (EU) No 830/2015 and (EU) No 2017/542

KAVALA NOVAFERT LTD

Revision date: ---

Novacan special stabil 27-0-0+5MgO+0,2B

Disposal of uncleaned packaging (EWC)

Version: 1.0

Date of issue: 03/01/2023

(M) = Mirror entry

 <u>EWC disposal code no. (uncleaned packaging)</u>: 15 01 10*(M) packaging containing residues of or contaminated by dangerous substances (M) = Mirror entry Note: After rinsing with plenty of water, empty bags can be transported to licensed units / management organizations for recycling.

SECTION 14: TRANSPORT INFORMATION

The product is not subject to international regulations governing the transport of dangerous goods (ADR/RID, IMDG, ICAO/IATA).

Recommendation on transportation

During transportation the product must be protected from water and atmospheric humidity (rain, humid air, snow) at any time. Product that is damaged by humidity or water will form solid lumps, larger quantities can become very hard and granules transformed to powder.

Loading and unloading of the product should only be carried out under dry weather conditions. Do not discharge when there is precipitation or heavy fog. Transport facilities must be dry and clean. The product should be covered during transport.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
Restrictions on use	:	Regulation (EC) No. 1907/2006 (REACH), Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Applicable table 58
		Regulation (EC) No. 1907/2006 (REACH), Annex XIV – List of substances subject to authorization : Not applicable.
VOC (1999/13/EC)	:	Not applicable.
Seveso III - DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on the control of major-accident hazards involving dangerous substances	:	Not applicable
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	:	Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point (Hellenic Police, Tel:
	1	11/12

according to Reg. (EC) No 1907/2006 (REACH), (EC) No 1272/2008, (EU) No 453/2010, (EU) No 830/2015 and (EU) No 2017/542

KAVALA NOVAFERT LTD

Revision date: ---

(2015)

Version: 1.0

Date of issue: 03/01/2023

Novacan special stabil 27-0-0+5MgO+0,2B

+302106914916, email: dka_opla@police.gr).

15.2 Chemical safety assessment

Chemical safety assessments for substances in this preparation were carried out.

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H272: May intensify fire; oxidiser.

H319: Causes serious eye irritation.

Revised points:

Acronyms and abbreviations

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS No:	Chemical Abstracts Service Number
EmS:	Emergency Schedules
EINECS No:	European Inventory of Existing Commercial Chemical Substances Number
GHS:	Globally Harmonized System of Classification and Labelling of Chemicals
IATA-DGR:	International Air Transport Association's-Dangerous Goods Regulations (56th edition)
ICAO-TI:	International Civil Aviation Organization's-Technical Instructions
IMDG Code:	International Maritime Dangerous Goods Code (36 th - 37 th amendment)
RID:	Regulations Concerning the International Transport of Dangerous Goods by Rail

This Safety Data Sheet was elaborated on the basis of information provided by the manufacturer, as well as, suppliers of individual components and on the basis of data in publicly accessible databases.

All information provided herein is deemed reliable and is intended to ensure optimal protection during transport, handling and storage of our products.

However, the present should not be considered as a warranty or quality specification.

Department issuing MSDS:

KAVALA NOVAFERT LTD 201 Syngrou Andrea Avenue, 17121, Nea Smyrni, Attikis Athens, GREECE e-mail: info@kavalanovafert.com

For information contact :

KAVALA NOVAFERT LTD 201 Syngrou Andrea Avenue, 17121, Nea Smyrni, Attikis Athens, GREECE

Tel. : +30 2109 358833, e-mail: info@kavalanovafert.com